

GERPAAS[®]



Enclosures

Surface Type Wall Mounted
Monoblock Enclosure
Sıva Üstü Monoblok Panolar



Standart Ölçüler Standart Dimension						
Ref. No	En Width	x	Boy Height	x	Derinlik Depth	Açıklama Description
GE-IKN050418S	400	x	500	x	180	15 Sigorta + Klemens
GE-IKN050420S	400	x	500	x	220	15 Sigorta + Klemens
GE-IKN060418S	400	x	600	x	180	30 Sigorta + Klemens
GE-IKN060422S	400	x	600	x	220	30 Sigorta + Klemens
GE-IKN060518S	500	x	600	x	180	45 Sigorta + Klemens
GE-IKN060522S	500	x	600	x	220	45 Sigorta + Klemens
GE-IKN080518S	500	x	800	x	180	65 Sigorta + Klemens
GE-IKN080522S	500	x	800	x	260	65 Sigorta + Klemens
GE-IKN080522S	600	x	800	x	220	45 Sigorta + TMŞ + Klemens
GE-IKN080626S	600	x	800	x	260	45 Sigorta + TMŞ + Klemens
GE-IKN100622S	600	x	1000	x	220	72 Sigorta + TMŞ + Klemens
GE-IKN100626S	600	x	1000	x	260	72 Sigorta + TMŞ + Klemens
GE-IKN120622S	600	x	1200	x	220	96 Sigorta + TMŞ + Klemens
GE-IKN120626S	600	x	1200	x	260	96 Sigorta + TMŞ + Klemens
GE-IKN120822S	800	x	1200	x	220	110 Sigorta + TMŞ + Klemens
GE-IKN120826S	800	x	1200	x	260	110 Sigorta + TMŞ + Klemens

Teknik Özellikler Technical Details	
Konstrüksiyon / Construction	Kaynaklı Gövde / Welded body
Gövde / Body	1mm - 1.5mm Dkp Sac / 1mm - 1.5 Steel Sheet
Kapı / Door	1.2mm Dkp Sac / 1.2mm Steel Sheet
Örtü Sacları / Cover Plates	1mm Dkp Sac / 1mm Steel Sheet
Boya / Paint	Ral7035 Elektrostatik Toz Boya / Ral7035 Electrostatic Powder Paint
Koruma Derecesi / Protection Degree	IP:41/54 / IP:41/54
Contalama Sistemi / Foaming Gasket	Poliüretan Dökme Conta / Polyurethane Foaming Gasket
Ön Kapı / Front Door	1/2 Nokta Kilitlemeli / Swing 1/2 Point Locking System
Menteşe / Hinges	2/3 Noktadan Gizli Mentese / Scret Hinges Form 2/3 Poing
Kablo Giriş Çıkış / Cable Entry Outgoing	Var / Yes

Flush Type Wall Mounted
Monoblock Enclosure
Sıva Altı Monoblok Panolar



Standart Ölçüler Standart Dimension						
Ref. No	En Width	x	Boy Height	x	Derinlik Depth	Açıklama Description
GE-IKN040318G	350	x	450	x	180	10 Sigorta + Klemens
GE-IKN040418G	450	x	450	x	180	15 Sigorta + Klemens
GE-IKN060418G	450	x	650	x	180	30 Sigorta + Klemens
GE-IKN060518G	550	x	650	x	180	40 Sigorta + Klemens
GE-IKN080518G	550	x	850	x	180	60 Sigorta + Klemens
GE-IKN080522G	550	x	850	x	220	60 Sigorta + Klemens
GE-IKN080618G	650	x	850	x	180	72 Sigorta + Klemens
GE-IKN080622G	650	x	850	x	220	48 Sigorta + TMŞ + Klemens
GE-IKN100618G	650	x	1050	x	180	72 Sigorta + TMŞ + Klemens
GE-IKN100622G	650	x	1150	x	220	96 Sigorta + TMŞ + Klemens

Teknik Özellikler Technical Details	
Konstrüksiyon / Construction	Kaynaklı Gövde / Welded
Gövde / Body	1mm - 1.5mm Dkp Sac / 1mm - 1.5 Steel Sheet
Kapı / Door	1.2mm Dkp Sac / 1.2mm Steel Sheet
Örtü Sacları / Cover Plates	1mm Dkp Sac / 1mm Steel Sheet
Boya / Paint	Ral7035 Elektrostatik Toz Boya / Ral7035 Electrostatic Powder Paint
Koruma Derecesi / Protection Degree	IP:41/54 / IP:41/54
Contalama Sistemi / Foaming Gasket	Poliüretan Dökme Conta / Polyurethane Foaming Gasket
Ön Kapı / Front Door	1/2 Nokta Kilitlemeli / Swing 1/2 Point Locking System
Menteşe / Hinges	2/3 Noktadan Gizli Mentese / Scret Hinges Form 2/3 Poing
Kablo Giriş Çıkış / Cable Entry Outgoing	Var / Yes



Enclosures

IP41 Economic Panels Whith
Mounting Plate
IP41 Eko.Duvar Tipi
Taban Saclı Pano



Not: Sac Kalınlığı 0,8 - 1 mm arası değişmektedir.
Thickness of the metal 0,8 - 1 mm

Standart Ölçüler Standart Dimension					
Ref. No	En Width	x	Boy Height	x	Derinlik Depth
GE-IKN030318SE..	300	x	300	x	180
GE-IKN040318SE..	300	x	400	x	180
GE-IKN050418SE..	400	x	500	x	180
GE-IKN060418SE..	400	x	600	x	180
GE-IKN060518SE..	500	x	600	x	180
GE-IKN080522SE..	500	x	800	x	220
GE-IKN080622SE..	600	x	800	x	220
GE-IKN100622SE..	600	x	1000	x	220
GE-IKN100625SE..	600	x	1000	x	250
GE-IKN120622SE..	600	x	1200	x	250
GE-IKN120625SE..	600	x	1200	x	250

IP65 Panels Whith
Mounting Plate
IP65 Duvar Tipi Taban
Saclı Panolar



Not: Sac Kalınlığı 1 - 1,5 mm arası değişmektedir.
Thickness of the metal 1 - 1,5 mm

Standart Ölçüler Standart Dimension					
Ref. No	En Width	x	Boy Height	x	Derinlik Depth
GE-IKN030318SE..	300	x	300	x	180
GE-IKN040318SE..	300	x	400	x	180
GE-IKN050418SE..	400	x	500	x	180
GE-IKN060418SE..	400	x	600	x	180
GE-IKN060518SE..	500	x	600	x	180
GE-IKN080522SE..	500	x	800	x	220
GE-IKN080622SE..	600	x	800	x	220
GE-IKN100622SE..	600	x	1000	x	220
GE-IKN100625SE..	600	x	1000	x	250
GE-IKN120622SE..	600	x	1200	x	250
GE-IKN120625SE..	600	x	1200	x	250



Enclosures

MCCB Busbar Distribution Enclosures Kompakt Bara Dağıtım Panolar



Standart Ölçüler Standart Dimension							
Giriş Akımı (A) Main Entry (AMPS)	Faz Phase	Yol Way	En Width	x	Boy Height	x	Derinlik Depth
100	3	6	400	x	650	x	180
100	3	8	400	x	650	x	180
100	3	10	400	x	850	x	180
100	3	12	400	x	850	x	180
100	3	14	400	x	850	x	180
200	3	6	500	x	850	x	220
200	3	8	500	x	850	x	220
200	3	10	500	x	850	x	220
200	3	12	500	x	950	x	220
200	3	14	500	x	950	x	220
250	3	6	500	x	850	x	220
250	3	8	500	x	850	x	220
250	3	10	500	x	950	x	220
250	3	12	500	x	950	x	220
250	3	14	500	x	950	x	220
Teknik Özellikler Technical Details							
Konstrüksiyon / Construction	Kaynaklı Gövde / Welded						
Gövde / Body	1mm - 1.5mm Dkp Sac / 1mm - 1.5 Steel Sheet						
Kapı / Door	1.2mm Dkp Sac / 1.2mm Steel Sheet						
Örtü Sacları / Cover Plates	1.5mm Dkp Sac / 1.5mm Steel Sheet						
Boya / Paint	Ral7035 Elektrostatik Toz Boya /Ral7035 Electrostatic Powder Paint						
Koruma Derecesi / Protection Degree	IP:41/54 / IP:41/54						
Contalama Sistemi / Foaming Gasket	Poliüretan Dökme Conta / Polyurethane Foaming Gasket						
Ön Kapı / Front Door	1/2 Nokta Kilitlemeli / Swing 1/2 Point Locking System						
Menteşe / Hinges	2/3 Noktadan Gizli Mentşe / Scret Hinges Form 2/3 Poing						
Kablo Giriş Çıkış / Cable Entry Outgoing	Var / Yes						

External Type Wall Mounted Enclosures Harici Duvar Tipi Panolar



Standart Ölçüler Standart Dimension					
Ref. No	En Width	x	Boy Height	x	Derinlik Depth
GE-IKN160504DH	500	x	1650	x	400
GE-IKN160604DH	600	x	1650	x	400
GE-IKN180604DH	600	x	1850	x	400
GE-IKN180605DH	600	x	1850	x	500
GE-IKN200605DH	600	x	2050	x	500
GE-IKN200606DH	600	x	2050	x	600
GE-IKN200805DH	800	x	2050	x	500
GE-IKN200806DH	800	x	2050	x	600
GE-IKN200808DH	800	x	2050	x	800
Teknik Özellikler Technical Details					
Konstrüksiyon / Construction	Kaynaklı / Welded				
Gövde / Body	1.5mm - 2mm Galvaniz Sac / 1.5mm - 2mm Galvanized Sheet				
Kapı / Door	2mm Galvaniz Sac / 2mm Galvanized Sheet				
Örtü Sacları / Cover Plates	1mm Galvaniz Sac / 1mm Galvanized Sheet				
Boya / Paint	Ral7035 Elektrostatik Toz Boya (Polyester) / Ral7035 Electrostatic Powder Paint (Polyester)				
Koruma Derecesi / Protection Degree	IP:54/65 / IP:54/65				
Contalama Sistemi / Foaming Gasket	Poliüretan Dökme Conta / Polyurethane Foaming Gasket				
Ön Kapı / Front Door	3 Nokta Kilitlemeli / Swing 3 Point Locking System				
Menteşe / Hinges	3 Noktadan Gizli Mentşe / Scret Hinges Form 3 Poing				
Kablo Giriş Çıkış / Cable Entry Outgoing	Var / Yes				



Enclosures

External Type Yard Enclosures
Harici Şantiye Tipi Panolar



Standart Ölçüler Standart Dimension					
Ref. No	En Width	x	Boy Height	x	Derinlik Depth
GE-IKS080530HSP	500	x	800	x	300
GE-IKN080630HSP	600	x	800	x	300
GE-IKN120630HSP	600	x	1200	x	300
GE-IKN120630HSP	600	x	1200	x	400
GE-IKN130630HSP	600	x	1300	x	400
GE-IKN150630HSP	600	x	1500	x	400
Teknik Özellikler Technical Details					
Gövde / Body	Kaynaklı / Welded				
Kapı / Door	1mm - 1.5mm Galvaniz Sac / 1mm - 1.5mm Galvanized Sheet				
Örtü Sacları / Cover Plates	1.5mm Galvaniz Sac / 1.5mm Galvanized Sheet				
Boya / Paint	1mm Galvaniz Sac / 1mm Galvanized Sheet				
Koruma Derecesi / Protection Degree	Ral7035 Elektrostatik Toz Boya (Polyester) / Ral7035 Electrostatic Powder Paint (Polyester)				
Contalama Sistemi / Foaming Gasket	IP:54/65 / IP:54/65				
Ön Kapı / Front Door	Poliüretan Dökme Conta / Polyurethane Foaming Gasket				
Menteşe / Hinges	2 Nokta Kilitlemeli / Swing 3 Point Locking System				
Kablo Giriş Çıkış / Cable Entry Outgoing	2 Noktadan Gizli Mentşe / Scret Hinges Form 3 Poing				

Wall Mounted Stainless Steel Enclosures
Duvar Tipi Paslanmaz Panolar



Standart Ölçüler Standart Dimension					
Ref. No	En Width	x	Boy Height	x	Derinlik Depth
GE-IKN040320SP	300	x	400	x	200
GE-IKN050420SP	400	x	500	x	200
GE-IKN060520SP	500	x	600	x	200
GE-IKN080520SP	500	x	800	x	200
GE-IKN080620SP	600	x	800	x	200
GE-IKN080626SP	600	x	800	x	260
GE-IKN100620SP	600	x	1000	x	200
GE-IKN100620SP	600	x	1000	x	260
Standart Ölçüler Standart Dimension					
Konstrüksiyon / Construction	Kaynaklı - Modüler / Welded - Modular				
Dikili Tip / Standing Type	1.5mm 304 Paslanmaz Sac / 1.5mm 304 Stainless Steel Sheet				
Sıva Üstü / Surface Mounted	1.2mm 304 Paslanmaz Sac / 1.2mm 304 Stainless Steel Sheet				
Koruma Derecesi / Protection Degree	IP:41/54/65 / IP:41/54/65				
Contalama Sistemi / Foaming Gasket	Poliüretan Dökme Conta / Polyurethane Foaming Gasket				
Ön Kapı / Front Door	2/3 Nokta Kilitlemeli / Swing 2/3 Point Locking System				
Menteşe / Hinges	2/3 Noktadan Gizli Mentşe / Scret Hinges Form 3/3 Poing				
Kablo Giriş Çıkış / Cable Entry Outgoing	Var / Yes				



Enclosures

Floor Standing Stainless Steel Enclosures
Dikili Tip Paslanmaz Panolar



Standart Ölçüler Standart Dimension					
Ref. No	En Width	x	Boy Height	x	Derinlik Depth
GE-IKN090604PULT	600	x	900	x	400
GE-IKN110604PULT	600	x	1100	x	400
GE-IKN090805PULT	800	x	900	x	500
GE-IKN110804PULT	800	x	1100	x	400
GE-IKN110805PULT	800	x	1100	x	500
GE-IKN111004PULT	1000	x	1100	x	400
GE-IKN111005PULT	1000	x	1100	x	500
GE-IKN111205PULT	1200	x	1100	x	500

Teknik Özellikler Technical Details	
Konstrüksiyon / Construction	Kaynaklı / Welded
Gövde / Body	1.5mm Dkp Sac / 1.5mm Steel Sheet
Kapı / Door	1.5mm Dkp Sac / 1.5mm Steel Sheet
Taban Sacları / Mounting Plates	2mm Galvaniz Sac / 2mm Galvanized Sheet
Boya / Paint	Ral7035 Elektrostatik Toz Boya /Ral7035 Electrostatic Powder Paint
Koruma Derecesi / Protection Degree	IP:41/54 / IP:41/54
Contalama Sistemi / Foaming Gasket	Poliüretan Dökme Conta / Polyurethane Foaming Gasket
Ön Kapı / Front Door	1-2 Nokta Kilitlemeli / Swing 1-2 Point Locking System
Menteşe / Hinges	2 Noktadan Gizli Mentеше / Scret Hinges Form 3 Poing
Kablo Giriş Çıkış / Cable Entry Outgoing	Var / Yes

Console Piano Type Enclosures
Piyano Tipi Panolar



Standart Ölçüler Standart Dimension					
Ref. No	En Width	x	Boy Height	x	Derinlik Depth
GE-IKN140605PYN	600	x	1400	x	500
GE-IKN140806PYN	600	x	1400	x	600
GE-IKN140805PYN	800	x	1400	x	500
GE-IKN140806PYN	800	x	1400	x	600
GE-IKN141005PYN	1000	x	1400	x	500
GE-IKN141006PYN	1000	x	1400	x	600

Teknik Özellikler Technical Details	
Konstrüksiyon / Construction	Kaynaklı / Welded
Gövde / Body	1.5mm Dkp Sac / 1.5mm Steel Sheet
Kapı / Door	1.5mm Dkp Sac / 1.5mm Steel Sheet
Taban Sacları / Mounting Plates	2mm Galvaniz Sac / 2mm Galvanized Sheet
Boya / Paint	Ral7035 Elektrostatik Toz Boya /Ral7035 Electrostatic Powder Paint
Koruma Derecesi / Protection Degree	IP:41/54 / IP:41/54
Contalama Sistemi / Foaming Gasket	Poliüretan Dökme Conta / Polyurethane Foaming Gasket
Ön Kapı / Front Door	1-2 Nokta Kilitlemeli / Swing 1-2 Point Locking System
Menteşe / Hinges	2 Noktadan Gizli Mentеше / Scret Hinges Form 2 Poing
Kablo Giriş Çıkış / Cable Entry Outgoing	Var / Yes

Enclosures

19" Floor Standing Rack Cabinets
19" Dikili Tip Rack Kabinler



Standart Ölçüler Standart Dimension					
Ref. No	En Width	x	Boy Height	x	Derinlik Depth
GE-IKN060607U	600	x	420	x	600
GE-IKN060609U	600	x	500	x	600
GE-IKN060612U	600	x	630	x	600
GE-IKN060616U	600	x	760	x	600
GE-IKN060620U	600	x	1000	x	600
GE-IKN060622U	600	x	1130	x	600
GE-IKN060626U	600	x	1300	x	600
GE-IKN060632U	600	x	1600	x	600
GE-IKN060636U	600	x	1750	x	600
GE-IKN060640U	600	x	1900	x	600
GE-IKN060642U	600	x	2000	x	600
GE-IKN060644U	600	x	2100	x	600
GE-IKN080832U	800	x	1600	x	800
GE-IKN080836U	800	x	1750	x	800
GE-IKN080840U	800	x	1900	x	800
GE-IKN080842U	800	x	2000	x	800
GE-IKN080844U	800	x	2100	x	800
Teknik Özellikler Technical Details					
Konstrüksiyon / Construction	%100 Modüler / %100 Modular				
Gövde / Body	1.5mm Dkp Sac / 1.5mm Steel Sheet				
Kapı / Door	Pleksiglass Camlı Kapı / Plexiglass Door				
Boya / Paint	Ral9005 Elektrostatik Toz Boya / Ral9005 Electrostatic Powder Paint				
Koruma Derecesi / Protection Degree	IP:41/54 / IP:41/54				
Contalama Sistemi / Foaming Gasket	Poliüretan Dökme Conta / Polyurethane Foaming Gasket				
Ön Kapı / Front Door	3 Nokta Kilitlemeli / Swing 3 Point Locking System				
Menteşe / Hinges	2 Noktadan Gizli Mentese / Scret Hinges Form 3 Poing				
Kablo Giriş Çıkış / Cable Entry Outgoing	Var / Yes				



Console Piano Type Enclosures
Piyano Tipi Panolar

Teknik Özellikler Technical Details	
Konstrüksiyon / Construction	%100 Modüler Kaynaksız / %100 Modular Not Welded
Gövde / Body	2mm Dkp Sac / 2mm Steel Sheet
Kapı / Door	2mm Dkp Sac / 2mm Steel Sheet
Örtü Sacları / Cover Plates	1mm Dkp Sac / 1mm Steel Sheet
Boya / Paint	Ral7032 Elektrostatik Toz Boya / Ral7032 Electrostatic Powder Paint
Koruma Derecesi / Protection Degree	IP:41/54 / IP:41/54
Contalama Sistemi / Foaming Gasket	Poliüretan Dökme Conta / Polyurethane Foaming Gasket
Ön Kapı / Front Door	3 Nokta Kilitlemeli / Swing 3 Point Locking System
Menteşe / Hinges	4 Noktadan Gizli Mentese / Scret Hinges Form 4 Poing
Kablo Giriş Çıkış / Cable Entry Outgoing	Var / Yes



Enclosures

Floor Standing Type Modular Enclosures
Dikili Tip Modüler Panolar



Standart Ölçüler Standart Dimension					
Ref. No	En Width	x	Boy Height	x	Derinlik Depth
GE-IKN160504D	500	x	1650	x	400
GE-IKN180504D	500	x	1850	x	400
GE-IKN200504D	500	x	2050	x	400
GE-IKN220504D	500	x	2250	x	400
GE-IKN160604D	600	x	1650	x	400
GE-IKN180604D	600	x	1850	x	400
GE-IKN200604D	600	x	2050	x	400
GE-IKN220604D	600	x	2250	x	400
GE-IKN160704D	700	x	1650	x	400
GE-IKN180704D	700	x	1850	x	400
GE-IKN200704D	700	x	2050	x	400
GE-IKN160804D	800	x	1650	x	400
GE-IKN181804D	800	x	1850	x	400
GE-IKN200804D	800	x	2050	x	400
GE-IKN220804D	800	x	2250	x	400

Floor Standing Type Modular Enclosures
Dikili Tip Modüler Panolar



Standart Ölçüler Standart Dimension					
Ref. No	En Width	x	Boy Height	x	Derinlik Depth
GE-IKN160505D	500	x	1650	x	500
GE-IKN180505D	500	x	1850	x	500
GE-IKN200505D	500	x	2050	x	500
GE-IKN220505D	500	x	2250	x	500
GE-IKN160605D	600	x	1650	x	500
GE-IKN180605D	600	x	1850	x	500
GE-IKN200605D	600	x	2050	x	500
GE-IKN220605D	600	x	2250	x	500
GE-IKN160705D	700	x	1650	x	500
GE-IKN180705D	700	x	1850	x	500
GE-IKN200705D	700	x	2050	x	500
GE-IKN160805D	800	x	1650	x	500
GE-IKN181805D	800	x	1850	x	500
GE-IKN200805D	800	x	2050	x	500
GE-IKN220805D	800	x	2250	x	500



Enclosures

Floor Standing Type Modular Enclosures
Dikili Tip Modüler Panolar



Ref. No	Standart Ölçüler Standart Dimension				
	En Width	x	Boy Height	x	Derinlik Depth
GE-IKN160506D	500	x	1650	x	600
GE-IKN180506D	500	x	1850	x	600
GE-IKN200506D	500	x	2050	x	600
GE-IKN220506D	500	x	2250	x	600
GE-IKN160606D	600	x	1650	x	600
GE-IKN180606D	600	x	1850	x	600
GE-IKN200606D	600	x	2050	x	600
GE-IKN220606D	600	x	2250	x	600
GE-IKN160706D	700	x	1650	x	600
GE-IKN180706D	700	x	1850	x	600
GE-IKN200706D	700	x	2050	x	600
GE-IKN160806D	800	x	1650	x	600
GE-IKN181806D	800	x	1850	x	600
GE-IKN200806D	800	x	2050	x	600
GE-IKN220806D	800	x	2250	x	600

Floor Standing Type Modular Enclosures
Dikili Tip Modüler Panolar



Ref. No	Standart Ölçüler Standart Dimension				
	En Width	x	Boy Height	x	Derinlik Depth
GE-IKN160507D	500	x	1650	x	700
GE-IKN180507D	500	x	1850	x	700
GE-IKN200507D	500	x	2050	x	700
GE-IKN220507D	500	x	2250	x	700
GE-IKN160607D	600	x	1650	x	700
GE-IKN180607D	600	x	1850	x	700
GE-IKN200607D	600	x	2050	x	700
GE-IKN220607D	600	x	2250	x	700
GE-IKN160707D	700	x	1650	x	700
GE-IKN180707D	700	x	1850	x	700
GE-IKN200707D	700	x	2050	x	700
GE-IKN160807D	800	x	1650	x	700
GE-IKN181807D	800	x	1850	x	700
GE-IKN200807D	800	x	2050	x	700
GE-IKN220807D	800	x	2250	x	700



Enclosures

Floor Standing Type Modular Enclosures
Dikili Tip Modüler Panolar



Standart Ölçüler Standart Dimension					
Ref. No	En Width	x	Boy Height	x	Derinlik Depth
GE-IKN160506D	500	x	1650	x	600
GE-IKN180506D	500	x	1850	x	600
GE-IKN200506D	500	x	2050	x	600
GE-IKN220506D	500	x	2250	x	600
GE-IKN160606D	600	x	1650	x	600
GE-IKN180606D	600	x	1850	x	600
GE-IKN200606D	600	x	2050	x	600
GE-IKN220606D	600	x	2250	x	600
GE-IKN160706D	700	x	1650	x	600
GE-IKN180706D	700	x	1850	x	600
GE-IKN200706D	700	x	2050	x	600
GE-IKN160806D	800	x	1650	x	600
GE-IKN181806D	800	x	1850	x	600
GE-IKN200806D	800	x	2050	x	600
GE-IKN220806D	800	x	2250	x	600

Floor Standing Type Modular Enclosures
Dikili Tip Modüler Panolar



Standart Ölçüler Standart Dimension					
Ref. No	En Width	x	Boy Height	x	Derinlik Depth
GE-IKN160507D	500	x	1650	x	700
GE-IKN180507D	500	x	1850	x	700
GE-IKN200507D	500	x	2050	x	700
GE-IKN220507D	500	x	2250	x	700
GE-IKN160607D	600	x	1650	x	700
GE-IKN180607D	600	x	1850	x	700
GE-IKN200607D	600	x	2050	x	700
GE-IKN220607D	600	x	2250	x	700
GE-IKN160707D	700	x	1650	x	700
GE-IKN180707D	700	x	1850	x	700
GE-IKN200707D	700	x	2050	x	700
GE-IKN160807D	800	x	1650	x	700
GE-IKN181807D	800	x	1850	x	700
GE-IKN200807D	800	x	2050	x	700
GE-IKN220807D	800	x	2250	x	700

Floor Standing Type Modular Enclosures
Dikili Tip Modüler Panolar



Standart Ölçüler Standart Dimension					
Ref. No	En Width	x	Boy Height	x	Derinlik Depth
GE-IKN160508D	500	x	1650	x	800
GE-IKN180508D	500	x	1850	x	800
GE-IKN200508D	500	x	2050	x	800
GE-IKN220508D	500	x	2250	x	800
GE-IKN160608D	600	x	1650	x	800
GE-IKN180608D	600	x	1850	x	800
GE-IKN200608D	600	x	2050	x	800
GE-IKN220608D	600	x	2250	x	800
GE-IKN160708D	700	x	1650	x	800
GE-IKN180708D	700	x	1850	x	800
GE-IKN200708D	700	x	2050	x	800
GE-IKN160808D	800	x	1650	x	800
GE-IKN181808D	800	x	1850	x	800
GE-IKN200808D	800	x	2050	x	800
GE-IKN220808D	800	x	2250	x	800