CERTIFICATE OF COMPLIANCE

Certificate Number UL-US-2303784-0
Report Reference E525964-20230127

Date 31-Jan-2023

Issued to: Gerpa Elektrik Tekstil San. Ve Tic. A.S.

Yesilbaglar Mh. Selvili Sk. No:2 Helis Beyaz Ofis A Blok

D:105 Pendik, Istanbul

Turkey

This is to certify that representative samples of

CYNW - Cable Trays, Metal

See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the

Standard(s) indicated on this Certificate.

Standard(s) for Safety: NFPA 70, Edition 2023

Additional Information: See the UL Online Certifications Directory at

https://iq.ulprospector.com for additional information

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.

Debrah Jennings-Course

Deborah Jennings-Conner, VP Regulatory Services

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at http://ul.com/aboutul/locations/



CERTIFICATE OF COMPLIANCE

Certificate Number UL-US-2303784-0 **Report Reference** E525964-20230127 Date

31-Jan-2023

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements

Model	Category Description
Cable Ladders Horizontal Elbow, Cat. No. GE-MC2-D, followed by 15, 22, 30, 45, 60, 75 or 90 followed by A150, followed by 2, followed by HG	Cable Trays
Cable Ladders Vertical Outside Elbow, Cat. No. GE-MC2-OB followed by 15, 22, 30, 45, 60, 75 or 90 followed by A150, followed by 2, followed by HG	Cable Trays
Ladder Cable Tray Ladders and Ventilated Channel Cable Tray Connector, Cat. No. GE-EK	Cable Trays
Ladder Cable Tray, Cross, Cat. No. GE-MC2-DB followed by 15, 22, 30, 45, 60, 75 or 90 followed by A150, followed by 2, followed by HG	Cable Trays
Ladder Cable Tray, GE-MC2 series, Cat. Nos. GE-MC2 followed by 15, 22, 30, 45, 60, 75 or 90, followed by A150, followed by 2, followed by HG	Cable Trays
Ladder Cable Tray, Tee, Cat. No. GE-MC2-T, followed by 15, 22, 30, 45, 60, 75 or 90 followed by A150, followed by 2, followed by HG	Cable Trays
Ladder Cable Tray, Vertical Inside Elbow, Cat. No. GE-MC2-IB followed by 15, 22, 30, 45, 60, 75 or 90 followed by A150, followed by 2, followed by HG	Cable Trays
Ventilated Channel Cable Tray, Cross, Cat. No. GE-K2T- DB followed by 15, 22, 30, 45, 60, 75 or 90 followed by A100, followed by 2, followed by HG	Cable Trays
Ventilated Channel Cable Tray, Horizontal Elbow, Cat. No. GE-KT2-D followed by 15, 22, 30, 45, 60, 75 or 90 followed by A100, followed by 2, followed by HG	Cable Trays
Ventilated Channel Cable Tray, Tee, Cat. No. GE-KT2-T followed by 15, 22, 30, 45, 60, 75 or 90 followed by A100, followed by 2, followed by HG	Cable Trays
Ventilated Channel Cable Tray, Vertical Inside Elbow, Cat. No. GE-K2T-IB followed by 15, 22, 30, 45, 60, 75 or 90 followed by A100, followed by 2, followed by HG	Cable Trays
Ventilated Channel Cable Tray, Vertical Outside Elbow, Cat. No. GE-K2T-OB followed by 15, 22, 30, 45, 60, 75 or 90 followed by A100, followed by 2, followed by HG	Cable Trays
Ventilated Channel Cable Trays, GE-KT2 Series, Cat. Nos. GE-KT2 followed by 15, 22, 30, 45, 60, 75 or 90, followed by A100, followed by 2, followed by HG	Cable Trays
Wire Mesh Cable Tray, Connector, Cat. No. GE-TLK-EK	Cable Trays

CERTIFICATE OF COMPLIANCE

Certificate Number UL-US-2303784-0

Report Reference E525964-20230127

Date 31-Jan-2023

Wire Mesh Cable Tray, GE-TLK Series, Cat. Nos. GE-TLK followed by 15, 22, 30, 45, 60, 75 or 90, followed by A50, followed by 5, followed by HG. Cable Trays

Olbrah Jennings-Course

Deborah Jennings-Conner, VP Regulatory Services

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at http://ul.com/aboutul/locations/

